

# LED Highbay Light Use Manual

Version:A5

## Notes before installation:

- Please read use manual carefully before installation and follow the instructions.
- To avoid accidents like damage, dropping, electric shock, fire, please don't arbitrarily retrofit or change any lamp fittings.
- Clean lamps with a soft wrung-out soapy cloth, and then wipe it with a dry cloth. Please don't wipe the lamps with gasoline or other volatiles. Please don't spray insecticides on the lamps. Otherwise, it may cause discoloration or damage.
- Please do not open the lamp without permission.
- Please turn off the power when in installation or maintenance.




## 1. Technical Parameters

Model number	Input Voltage	Power	Dimension(L*W*H)	LED Type	Beam Angle
LS-LBL-50W	AC100-277V	50W	341.5*135.5*84.8mm	Lumileds SMD3030	30°70°&60°100°&120°
LS-LBL-100W	AC100-277V	100W	631.5*135.5*84.8mm	Lumileds SMD3030	30°70°&60°100°&120°
LS-LBL-150W	AC100-277V	150W	925.5*135.5*84.8mm	Lumileds SMD3030	30°70°&60°100°&120°
LS-LBL-200W	AC100-277V	200W	1217.5*135.5*84.8mm	Lumileds SMD3030	30°70°&60°100°&120°










## 2. Application

Workshop, factory, warehouse, highway toll stations, gas stations, supermarkets, exhibition halls, stadiums and other places

## 3. Dimension Diagram



## 4. Installation instructions



Hang on the lamp on the roof of the hook  
Installation is finished, please make sure the wire is properly connected, and turn on the power, make the light on.

## 5. Accessories



HBLAC-A



HBLAC-B